

Part No. 41942

2M DISPLAYPORT TO VGA CABLE

CONNECT DISPLAYPORT DEVICES TO A VGA MONITOR



DESCRIPTION

- Connects a DisplayPort equipped device to a VGA display or projector
- Supports resolutions up to 1920x1200@60Hz
- Supports video mirroring and extended desktop modes
- Male to male connections for a secure direct connection
- 2 year warranty

The Lindy DisplayPort to VGA Cable is ideal for connecting a DisplayPort equipped source such as a PC or laptop to a legacy VGA display or projector. It converts the digital signal from the DisplayPort connection into an analogue VGA signal and supports high definition video resolutions up to 1920x1200@60Hz.

This cable can also be used to add another display to extend the available desktop workspace and increase productivity.

RELATED PRODUCTS

0

2M DISPLAYPORT TO VGA CABLE

CONNECTORS

Connector A	DisplayPort Male
Connector B	VGA Male
Housing Material	DisplayPort: ABSVGA: PVC
Connector Plating	Gold plated
Pin Construction	Copper
Pin Plating	Gold plated
Dimensions (approx.) WxDxH	DisplayPort: 42x19.8x11.6mm (1.65x0.78x0.46in) VGA: 53x33.8x16.7mm (2.09x1.33x0.66in)

CABLE CONSTRUCTION

Length	2m (6.56ft)
Standard	VGA DisplayPort 1.1
Colour	Black
Type	Round
Jacket Diameter	6mm (0.24in)
Jacket Material	PVC
Conductor Material	Tinned Copper
Conductor Gauge	28AWG
Shielding	Aluminium Braid 85%

SPECIFICATIONS

Supported Bandwidth	1.65Gbps
Maximum Resolution	1920x1200@60Hz
Nominal Attenuation	100MHz-450MHz 2.44-5.09dB 450MHz-8100MHz 5.094-32.906dB
Minimum Bend Radius	60mm (2.36in)
Operating Temperature	0°C - 70°C (32°F - 158°F)
Storage Temperature	-10°C - 85°C (14°F - 185°F)

MISCELLANEOUS

Packaging Type	Polybag
Warranty (Years)	2
Certificated	CE, UKCA, FCC, RCM, RoHS, REACH, UL & California Proposition 65

PURCHASING INFORMATION

No.	41942
EAN	4002888419420

AVAILABLE IN OTHER LENGTHS

41940 - 0.5m (1.64ft)
 41941 - 1m (3.28ft)
 41942 - 2m (6.56ft)
 41943 - 3m (9.84ft)
 41944 - 5m (16.44ft)