



OUTDOOR TV



BRIGHTEST IN CLASS

Boasting exquisite 4K UHD and HDR technologies, Mitsumaru's 1000nit TV's display vivid, razor sharp images even where ambient light conditions are prevalent.

Sizes available: 55", 65", 75".



IP55 Semi-Outdoor TV's

Mitsumaru's IP55 semi-outdoor TV's can be utilised in outdoor environments where there is sufficient cover to protect the display from direct sunlight.



SUPERIOR PICTURE QUALITY

With screens that are three times brighter than standard indoor TVs, Mitsumaru's IP56 semi-outdoor TV's deliver crisp, crystal clear images.



Specifications

**55 INCH
550TV70S**

**65 INCH
650TV70S**

**75 INCH
750TV70S**

		55 INCH 550TV70S	65 INCH 650TV70S	75 INCH 750TV70S
GENERAL	OPERATING TEMP. RANGE	-24°F to 104°F / -31°C to 40°C		
	IDEAL OPERATING TEMP.	32°F to 104°F / 0°C to 40°C		
	NON-OPERATING TEMP.	-24°F to 140°F / -31°C to 60°C		
	OPERATING HUMIDITY	20–80% RH, Non-Condensing		
	WATERPROOF RATING	IP55 Rating		
VIDEO	DISPLAY RESOLUTION	3840 x 2160		
	DISPLAY BRIGHTNESS	1000 cd/m2 Typical		
	ASPECT RATIO	16:9		
	CONTRAST RATIO	Typical 5000:1		
	DOLBY DIGITAL SUPPORT	Yes		
	HDR COMPATIBLE	HDR		
	RESPONSE TIME	8 ms		
	VIEWING ANGLE	178° Horizontal/Vertical		
	DISPLAY POWER CONS.	260W	370W	400W
INSTALLATION	DIMENSIONS (inch / mm)	48.7" w x 28.2" h x 2.9" d 1237 w x 716.2 h x 73.6 d	57.2" w x 33" h x 3" d 1453 w x 838 h x 76.2 d	66" w x 38" h x 3" d 1676.4 w x 965 h x 76.2 d
	WEIGHT	36.3 lbs. / 16.5kg	52.7 lbs. / 23.9kg	70 lbs. / 31.8kg
	MEDIA COMPARTMENT DIMENSIONS (inch / mm)	3" w x 4" h x 1.125" d 76.2 w x 101.6 h x 28.2 d	3" w x 4" h x 1.125" d 76.2 w x 101.6 h x 28.2 d	3" w x 4" h x 1.125" d 76.2 w x 101.6 h x 28.2 d
	VESA PATTERN	400 x 200mm	400 x 200mm	400 x 200mm