

HOME > PRODUCTS > ECOTANK MULTIFUNCTION PRINTERS > ECOTANK PRO ET-16600

Epson EcoTank Pro ET-16600



EcoTank 4 Colour Multifunction Printers

Print | Copy | Scan | Fax | Ethernet | Wi-Fi Direct $^{\tiny (\!R\!)}$ | A3+

Printer Friendly Specs

Where to Buy

+ ENLARGE IMAGE

Overview



The wide-format EcoTank Pro ET-16600 wireless all-in-one offers revolutionary cartridge-free printing with easy-to-fill super-sized ink tanks. It includes enough ink to print thousands of pages straight out of the box².Powered by PrecisionCore® heat-Free printing technology, this all-in-one delivers extremely sharp black text and prints up to A3+ (13" x 19"). Copy and scan pages up to A3 (11" x 17"). The ET-16600 features a 500-sheet paper capacity and rear specialty-paper feed, plus a 4.3" colour touchscreen for easy navigation.

KEY FEATURES AND BENEFITS

Fast Print Speeds – Print 25 pages per minute 1 in black

Cartridge-free printing - comes with enough ink to up to 4,500 pages in black and 2,800 pages in colour straight from the box²

Wide-format prints and scans – print up to A3+ (13" x 19"); copy and scan up to A3 (11" x 17")

500-sheet paper capacity – plus a rear feed for specialty paper

Powered by PrecisionCore Heat-Free – sharp black text

Easy setup and touch navigation – 4.3" colour touchscreen

Auto 2-sided print, A3 print, copy, scan and fax - includes 50-page 2 sided Auto Document Feeder

Ultimate wireless solution plus Ethernet – easy Android™ tablet and smartphone printing³; includes Wi-Fi Direct®⁴ for network-free printing

PRINTING FREEDOM

For one upfront price, the EcoTank Pro ET-16600 printer comes with enough ink in the box to print 4,500 pages in black² and 2,800 pages in colour² without worrying about ongoing ink replacement and costs

Epson Australia - EcoTank Pro ET-16600



HIGH-VOLUME INK BOTTLES

Replacement bottles hold enough ink for a massive 7,500 pages in black² and 6,000 pages in colour².





PRECISIONCORE HEAT-FREE INKJET TECHNOLOGY

The EcoTank Pro ET-16600 is powered by PrecisionCore Heat-Free technology which uses a revolutionary high-density print chip that can generate up to 40 million precise dots per second with amazing accuracy, producing professional-quality output at fast speeds. No heat also means less power consumption, fewer consumables and less intervention, which saves you time and money.





Fast Print Speeds

The EcoTank Pro ET-16600 delivers professional quality, fast print speeds, making it easy to increase productivity, without compromising quality. Boasting fast print speeds of up to **25 ISO ppm** (black) and 12 ISO ppm¹ (colour), any project can be handled with speed and ease.



High colour resolution

Packing a greater number of nozzles into a smaller surface area, this high-resolution inkjet printhead, along with PrecisionCore Heat-Free technology, gives you ultra-sharp text, as well as stunning graphics and images — all with smooth gradations on both plain and specialty paper.

Versatile paper handling PLUS duplex ADF

The EcoTank Pro ET-16600 comes with a **50-sheet automatic document feeder** and offers duplex print, scan, copy and fax functions. The EcoTank Pro ET-16600 is always ready to print with the **two 250-sheet front loading paper trays**, PLUS the **50 sheet capacity rear specialty tray** to accommodate specialty media. You can get creative by printing on envelopes, labels, card stock and more.



High-speed faxing

Fax as fast as **3 seconds per page**, save up to 550 pages in memory, and store up to **200** numbers. Using the included PC-Fax, users can even send a **colour fax** right from their computer. It's a great way to save time and paper.



Sharp text and vibrant graphics

Delivering perfectly round droplets and extremely accurate dot placement, these remarkable printers produce extraordinary output, whatever the application. You get laser sharp text for truly impressive results.



Simple wireless connectivity

The EcoTank Pro ET-16600 supports the latest wireless standard, 802.11n⁴, it also includes Wi-Fi Direct®, which means no router is required, providing users with greater coverage and faster speeds. You can use your EcoTank printer from anywhere in your home and share it with multiple PCs.



Wired networking

Built-in Ethernet makes sharing the printer on your network quick and easy.

Print and share from anywhere in the world $^{3} \label{eq:print}$

Print wirelessly from your tablet or smartphone using **Epson Connect**. Easily print documents, photos, emails and web pages while in your office, on the road or across the globe. You can also scan your documents and save them to the cloud for access anytime, anywhere.

Epson Australia - EcoTank Pro ET-16600



Share your Google® content

Print on the go from a smartphone or tablet using Google Cloud Print™ with your Gmail™ or Google Drive™ account. Plus, print from your Chromebook™ and Google Chrome™ without installing drivers or connecting cables. It's now even easier to share your Google content from anywhere.

Intuitive 4.3" touchscreen with gesture

The EcoTank Pro ET-16600 has a built-in 4.3" touchscreen with a keypad and gesture navigation that easily guides users through routine and complex tasks.



Save Paper

The EcoTank Pro ET-16600 includes features as such automatic, two-sided printing and copying, users can save up to 50% on paper supply.



Epson CoverPlus Service Packs

Optional 2 Year Return To Base Epson CoverPlus provides additional two years service; covering parts, labour & on-going technical support.

- Additional 2 years Return to base service & support;
 Covers parts & labour including print heads;
 Dedicated unlimited technical phone & email support;
 Priority call queue;
 Repaired by Epson trained professionals
 For more information visit <u>Epson CoverPlus</u>

- REGISTRATION OFFER

The Epson EcoTank range is backed by a 2 year Return-to-Base warranty (1 year standard and a bonus 1 year upon registration).

Users can receive an additional 1 year bonus warranty when they register online⁵ within 12 months of purchase at <u>www.epson.com.au/registrations</u> providing a total of 2 Years Warranty.



Epson Australia - EcoTank Pro ET-16600

¹Black and colour print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity. See www.epson.com.au/printspeed for details, including complete ISO reports.

²Yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours must be available for printing.

³ Most features require an Internet connection to the printer, as well as an Internet- and/or email-enabled device. See <u>www.epson.com.au/connect</u> for a list of Epson Connect enabled printers and compatible devices and apps.
 ⁴ WiFi CERTIFIEDTM, level of performance subject to the range of the router being used. WiFi Direct may require printer software.

⁵ 12 months of standard Return to Base warranty. For an additional 12 months warranty (total of 24 months), you must register online at <u>www.epson.com.au/registrations</u> within 12 months of purchase (excluding Factory Seconds, or Refurbished EcoTank models).

Specification

| RINTER TYPE | |
|---|---|
| EcoTank Pro ET-16600 | C11CH72501 |
| PRINTING METHOD | On-demand Inkjet (piezoelectric) |
| NOZZLE CONFIGURATION | 400x2 nozzles Black, 128x2 nozzles each colour (Cyan, Yellow, Magenta) |
| MINIMUM INK DROPLET VOLUME | 3.8 Picolitres |
| ESOLUTION | |
| | 4800 x 2400 optimised dpi with (with Variable Sized Droplet Technology) |
| RINT SPEED BLACK TEXT A4 (Normal) | |
| COLOUR TEXT A4 (Normal) | 25 ISO ppm ¹ |
| . , | 12 ISO ppm ¹ |
| | Eviction food with paper fooder and automatic document fooder |
| PAPER FEED METHOD | Friction feed with paper feeder and automatic document feeder |
| PAPER SIZES | A3+, A3, A4, A5, B5, A6, Legal, 13 x 18cm, 10 x 15cm, 20 x 25cm Envelopes: C6, No 1 DL |
| PAPER HOLD CAPACITY | Paper tray input capacity: 2 x 250 sheet cassette, A4 Plain paper (80g/m ²), Multipurpose Tray: 50 sheets 20 sheets-PGPP 10 sheets-Envelope |
| OUTPUT CAPACITY | 125 sheets |
| DOUBLE-SIDED PRINTING | Yes |
| *True BorderFree [™] printing is available for the following me x 6" and 5" x 7", Matte Paper - Heavyweight. BorderFree pr | edia sizes: 4" x 6", 5" x 7", A4 and A3. Media types recommended : Premium Glossy Photo paper A4, 4 rints are media dependent. |
| Scanner | |
| CANNING | |
| SCANNER TYPE | A3 Flatbed colour image scanner |
| MAX. DOCUMENT SIZE | 297.18 x 431.8 mm / 11.7 x 17" (Up to A3) |
| PIXEL DEPTH | Input 48bits (16bits/grayscale) / output 24bits (8bits/grayscale) |
| SCANNING RESOLUTION | 1200 x 2400 dpi |
| Copy Function | |
| DPY SPEED | |
| COPY SPEED BLACK TEXT NORMAL (A4) | 23.0 ISO ipm ¹ |
| COPY SPEED COLOUR TEXT MEMO (A4) | 10.0 ISO ipm ¹ |
| | 100 100 1011 |
| COPY PAPER SIZE (FLATBED) | A3, B4, Legal, 8.5 x 13", Letter, A4, B5, A5, A6, 13x18cm, 16:9, 10x15cm, #10, DL, C4 |
| COPY PAPER SIZE (FLATBED) | A3, B4, Legal, 8.5 x 13", Letter, A4, B5, A5, A6, 13x18cm, 16:9, 10x15cm, #10, DL, C4 C6 |
| COPY PAPER SIZE (FLATBED) REDUCTION/ENLARGEMENT | |
| · · · | C6 |
| REDUCTION/ENLARGEMENT | |
| REDUCTION/ENLARGEMENT FAX | C6 |
| REDUCTION/ENLARGEMENT FAX RANSMISSION & RECEPTION | C6 Auto Fit Function |
| REDUCTION/ENLARGEMENT FAX RANSMISSION & RECEPTION TYPE | C6 Auto Fit Function Colour and mono support |
| REDUCTION/ENLARGEMENT FAX RANSMISSION & RECEPTION TYPE LINES | C6 Auto Fit Function Colour and mono support PSTN (general phone lines) |
| REDUCTION/ENLARGEMENT FAX RANSMISSION & RECEPTION TYPE LINES TRANSMISSION SPEED | C6 Auto Fit Function Colour and mono support PSTN (general phone lines) Up to 33.6kbs (approx. 3 secs per page) |
| REDUCTION/ENLARGEMENT FAX RANSMISSION & RECEPTION TYPE LINES TRANSMISSION SPEED SPEED DIAL | C6 Auto Fit Function Colour and mono support PSTN (general phone lines) Up to 33.6kbs (approx. 3 secs per page) Up to 200 Names & Numbers |
| REDUCTION/ENLARGEMENT FAX RANSMISSION & RECEPTION TYPE LINES TRANSMISSION SPEED SPEED DIAL MEMORY | C6 Auto Fit Function Colour and mono support PSTN (general phone lines) Up to 33.6kbs (approx. 3 secs per page) Up to 200 Names & Numbers Up to 550 pages (ITU-T No.1 chart) Standard (8pels/mm x 3.85lines/mm), Fine (8pels/mm x 7.7lines/mm), Super Fine |
| REDUCTION/ENLARGEMENT FAX RANSMISSION & RECEPTION TYPE LINES TRANSMISSION SPEED SPEED DIAL MEMORY FAX RESOLUTION (MONO) | C6 Auto Fit Function Colour and mono support PSTN (general phone lines) Up to 33.6kbs (approx. 3 secs per page) Up to 200 Names & Numbers Up to 550 pages (ITU-T No.1 chart) Standard (8pels/mm x 3.85lines/mm), Fine (8pels/mm x 7.7lines/mm), Super Fine (8pels/mm x 15.4lines/mm), Ultra Fine (16pels/mm x 15.4lines/mm) |
| REDUCTION/ENLARGEMENT FAX RANSMISSION & RECEPTION TYPE LINES TRANSMISSION SPEED SPEED DIAL MEMORY FAX RESOLUTION (MONO) FAX RESOLUTION (COLOUR) | C6 Auto Fit Function Colour and mono support PSTN (general phone lines) Up to 33.6kbs (approx. 3 secs per page) Up to 200 Names & Numbers Up to 550 pages (ITU-T No.1 chart) Standard (8pels/mm x 3.85lines/mm), Fine (8pels/mm x 15.4lines/mm), Super Fine (8pels/mm x 15.4lines/mm), Ultra Fine (16pels/mm x 15.4lines/mm) Fine (200x200), Photo (200x200 with error diffusion) |
| REDUCTION/ENLARGEMENT FAX RANSMISSION & RECEPTION TYPE LINES TRANSMISSION SPEED SPEED DIAL MEMORY FAX RESOLUTION (MONO) FAX RESOLUTION (COLOUR) ERROR CORRECTION MODE | C6 Auto Fit Function Colour and mono support Colour and mono support PSTN (general phone lines) Up to 33.6kbs (approx. 3 secs per page) Up to 200 Names & Numbers Up to 550 pages (ITU-T No.1 chart) Standard (8pels/mm x 3.85lines/mm), Fine (8pels/mm x 7.7lines/mm), Super Fine (8pels/mm x 15.4lines/mm), Ultra Fine (16pels/mm x 15.4lines/mm) Fine (200x200), Photo (200x200 with error diffusion) ITU Group3 fax with Error Correction Mode |
| REDUCTION/ENLARGEMENT FAX RANSMISSION & RECEPTION TYPE LINES TRANSMISSION SPEED SPEED DIAL MEMORY FAX RESOLUTION (MONO) FAX RESOLUTION (COLOUR) ERROR CORRECTION MODE PC FAX* Windows only | C6 Auto Fit Function Colour and mono support Colour and mono support PSTN (general phone lines) Up to 33.6kbs (approx. 3 secs per page) Up to 200 Names & Numbers Up to 550 pages (ITU-T No.1 chart) Standard (8pels/mm x 3.85lines/mm), Fine (8pels/mm x 7.7lines/mm), Super Fine (8pels/mm x 15.4lines/mm) Fine (200x200), Photo (200x200 with error diffusion) ITU Group3 fax with Error Correction Mode Yes |
| REDUCTION/ENLARGEMENT FAX RANSMISSION & RECEPTION TYPE LINES TRANSMISSION SPEED SPEED DIAL MEMORY FAX RESOLUTION (MONO) FAX RESOLUTION (COLOUR) ERROR CORRECTION MODE PC FAX* Windows only GROUP DIAL | C6 Auto Fit Function Colour and mono support Colour and mono support PSTN (general phone lines) Up to 33.6kbs (approx. 3 secs per page) Up to 200 Names & Numbers Up to 550 pages (ITU-T No.1 chart) Standard (8pels/mm x 3.85lines/mm), Fine (8pels/mm x 15.4lines/mm), Super Fine (8pels/mm x 15.4lines/mm) Fine (200x200), Photo (200x200 with error diffusion) ITU Group3 fax with Error Correction Mode Yes Yes (up to 199 groups) |

| MAXIMUM DOCUMENT SIZE | A4 |
|--|--|
| PAPER TYPES SUPPORTED | Plain paper 64~95g/m ² |
| DUPLEX | Yes - for two sided scanning, copying and faxing |
| CAPACITY | 50 pages (75g/m2) or 3.5mm (A3, Legal, Letter, A4, B5, A5) |
| General | |
| PPERATING SYSTEMS | |
| PRINTER DRIVERS* | Windows [®] XP/XP Professional x64 Edition/Vista/7/8/8.1/10, Windows Server 2003 SP or later |
| | Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 |
| | *Under Windows $^{\textcircled{R}}$ Server OS, only printing and scanning are supported. |
| | Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x, 10.10.x, 10.11.x,10.12.x,10.13.x,10.14.x |
| * Drivers if available are downloadable from $\underline{\text{Tech Epson}}$ | |
| IOISE LEVEL | |
| NOISE LEVEL* | LwAd B(A) :6.7 (Plain paper default) LpAm dB(A):47db (Plain paper default) |
| * Default mode is in accordance with ISO7779 | |
| NTERFACES | |
| CONNECTIVITY | High Speed USB — Compatible with the USB 2.0 Specification. |
| MOBILE PRINTING | Epson Connect (Epson Email Print + Epson iPrint) Google Cloud Print Ready, Apple Airprint, Scan to email |
| NETWORKING | 802.11b/g/n Wi-Fi Direct [®] 10-Base-T, 100 Base-TX Ethernet |
| LCD SCREEN | 4.3" TFT Colour LCD with keypad and gesture navigation |
| CARD SLOTS | |
| Built in | USB |
| VARRANTY | |
| 12 months return to base | Standard |
| 24 months return to base* | Upon registration |
| *For an additional 12 months (total of 24 months), register online | ne at www.epson.com.au/registrations within 12 months of purchase. |
| PRODUCT DIMENSIONS | 515mm(W) x 500mm(D) x 350mm(H) |
| VEIGHT | 20.2kg |
| NK BOTTLES & YIELDS | |
| INK BOTTLES | T542 (Black, Cyan, Magenta, Yellow) |
| INK BOTTLES BUNDLED WITH PRINTER YIELDS ² | 4,500 Pages Blk / 2,800 Pages Clr |
| REPLACEMENT INK BOTTLES YIELDS ² | 7,500 Pages Blk / 6,000 Pages Clr |

1. Black and colour print/copy speeds are measured in accordance with ISO/IEC 24734 and 29183. Actual print times will vary based on system configuration, software, and page complexity.

2. According to ISO/IEC24711 and 24712 test suite. Click here for details on ISO testing. (PDF)

This printer is designed to be used only with Genuine Epson ink cartridges. Epson ink cartridges are not designed for refill.

Usage Conditions

Epson products are designed and made to give highly reliable use and long life when used according to its specifications. With any system, product or device used in situations where human life may be involved or at risk, Epson advises that you should take all necessary steps to ensure the suitability of your Epson product for inclusion in your system, and recommends that you include fail-safe procedures and redundancy support or backup equipment in your system, to maintain the maximum safety margin and optimum system reliability. Examples include but are not limited to – do not interfere with any electrical components within the device, do not use items supplied with the product for purposes other than as intended by Epson (ie mains cords, inks, CDs, plastic wrapping) and do not make modifications to the product.

Consumables

| ACCESSORIES & OPTIONS | PRODUCT CODE |
|--|--------------|
| Maintenance Tank | C12C934591 |
| GENUINE Epson PAPERS | PRODUCT CODE |
| <u>4" x 6" Photo Paper Glossy - 100 Sheets (200gsm)</u> | S042548 |
| <u>4" x 6" Photo Paper Glossy - 20 Sheets (200gsm)</u> | S042546 |
| <u>4" x 6" Photo Paper Glossy - 50 Sheets (200gsm)</u> | S042547 |
| 4" x 6" Photo Paper Glossy - 500 Sheets - 200gsm | S042549 |
| <u>4" x 6" Premium Glossy Photo Paper - 20 Sheets (255gsm)</u> | S041706 |
| <u>4" x 6" Premium Glossy Photo Paper - 50 Sheets (255gsm)</u> | S041729 |
| <u>4" x 6" Ultra Glossy Photo Paper - 50 Sheets (300gsm)</u> | S041943 |
| <u>5" x 7" Photo Paper Glossy - 20 Sheets (200gsm)</u> | S042544 |
| 5" x 7" Photo Paper Glossy - 50 Sheets (200gsm) | S042545 |

| <u>5" x 7" Premium Glossy Photo Paper - 20 Sheets (255gsm)</u> | S041464 |
|---|---|
| <u>A3 Archival Matte Paper - 50 Sheets (189gsm)</u> | S041344 |
| <u>A4 Double-Sided Matte Paper - 50 Sheets (178gsm)</u> | S041569 |
| <u>A4 Matte Paper Heavy Weight - 50 Sheets (167gsm)</u> | S041256 |
| <u>A4 Photo Paper Glossy - 20 Sheets (200gsm)</u> | S042538 |
| <u>A4 Photo Paper Glossy - 50 Sheets (200gsm)</u> | S042539 |
| <u>A4 Photo Quality Inkjet Paper - 100 Sheets (102gsm)</u> | S041061 |
| A4 Ultra Glossy Photo Paper - 15 Sheets (300gsm) | S041927 |
| Epson Archival Paper 192gsm Matte A3+ Sheet Media (50pcs) | S041340 |
| Epson Photo Paper 102gsm A3 Sheet Media (100pcs) | S041068 |
| Epson Photo Paper 102gsm A3+ Sheet Media (100pcs) | S041069 |
| <u>Epson Photo Paper 200gsm Gloss A3+ Sheet Media (20pcs)</u> | S042535 |
| Epson Photo Paper 250gsm Premium Semigloss A3 Sheets (20pcs) | S041334 |
| Epson Photo Paper 250gsm Premium Semigloss A4 Sheets (20pcs) | S041332 |
| Epson Photo Paper 255gsm Premium Gloss A3 Sheet Media (20pcs) | S041288 |
| Epson Photo Paper 255gsm Premium Gloss A4 Sheet Media (20pcs) | S041287 |
| | |
| NK CARTRIDGES | PRODUCT CODE |
| NK CARTRIDGES <u>T542 - DURABRite EcoTank - Black Ink</u> | PRODUCT CODE |
| | |
| <u>T542 - DURABRite EcoTank - Black Ink</u> | T542 |
| T542 - DURABRite EcoTank - Cyan Ink | T542 T542 |
| <u>T542 - DURABRite EcoTank - Black Ink</u> <u>T542 - DURABRite EcoTank - Cyan Ink</u> <u>T542 - DURABRite EcoTank - Magenta Ink</u> <u>T542 - DURABRite EcoTank - Yellow Ink</u> | T542 T542 T542 |
| <u>T542 - DURABRite EcoTank - Black Ink</u> <u>T542 - DURABRite EcoTank - Cyan Ink</u> <u>T542 - DURABRite EcoTank - Magenta Ink</u> <u>T542 - DURABRite EcoTank - Yellow Ink</u> | T542 T542 T542 T542 T542 |
| T542 - DURABRite EcoTank - Black Ink T542 - DURABRite EcoTank - Cyan Ink T542 - DURABRite EcoTank - Magenta Ink T542 - DURABRite EcoTank - Yellow Ink ARGE FORMAT PAPERS | T542 T542 T542 T542 T542 PRODUCT CODE |
| T542 - DURABRite EcoTank - Black Ink T542 - DURABRite EcoTank - Cyan Ink T542 - DURABRite EcoTank - Magenta Ink T542 - DURABRite EcoTank - Yellow Ink ARGE FORMAT PAPERS Epson Presentation Paper 167gsm Heavy Weight Matte A3 (50pcs) | T542 T542 T542 T542 PRODUCT CODE S041261 |
| T542 - DURABRite EcoTank - Black Ink T542 - DURABRite EcoTank - Cyan Ink T542 - DURABRite EcoTank - Magenta Ink T542 - DURABRite EcoTank - Yellow Ink ARGE FORMAT PAPERS Epson Presentation Paper 167gsm Heavy Weight Matte A3 (50pcs) Epson Presentation Paper 167gsm Heavy Weight Matte A3 + (50pcs) | T542 T542 T542 T542 PRODUCT CODE S041261 S041264 |
| T542 - DURABRite EcoTank - Black Ink T542 - DURABRite EcoTank - Cyan Ink T542 - DURABRite EcoTank - Magenta Ink T542 - DURABRite EcoTank - Yellow Ink ARGE FORMAT PAPERS Epson Presentation Paper 167gsm Heavy Weight Matte A3 (50pcs) Epson Presentation Paper 167gsm Heavy Weight Matte A3+ (50pcs) Epson Photo Paper 255gsm Premium Gloss A3+ Sheet Media (20pcs) Epson Photo Paper 250gsm Premium Semigloss A3+ Sheets (20pcs) | T542 T542 T542 T542 PRODUCT CODE S041261 S041264 S041289 |
| T542 - DURABRite EcoTank - Black Ink T542 - DURABRite EcoTank - Cyan Ink T542 - DURABRite EcoTank - Magenta Ink T542 - DURABRite EcoTank - Yellow Ink ARGE FORMAT PAPERS Epson Presentation Paper 167gsm Heavy Weight Matte A3 (50pcs) Epson Presentation Paper 167gsm Heavy Weight Matte A3+ (50pcs) Epson Photo Paper 255gsm Premium Gloss A3+ Sheet Media (20pcs) Epson Photo Paper 250gsm Premium Semigloss A3+ Sheets (20pcs) | T542 T542 T542 T542 PRODUCT CODE S041261 S041264 S041289 S041328 |
| T542 - DURABRite EcoTank - Black Ink T542 - DURABRite EcoTank - Cyan Ink T542 - DURABRite EcoTank - Magenta Ink T542 - DURABRite EcoTank - Yellow Ink ARGE FORMAT PAPERS Epson Presentation Paper 167gsm Heavy Weight Matte A3 (50pcs) Epson Presentation Paper 167gsm Heavy Weight Matte A3+ (50pcs) Epson Photo Paper 255gsm Premium Gloss A3+ Sheet Media (20pcs) Epson Photo Paper 250gsm Premium Semigloss A3+ Sheets (20pcs) CCESSORIES & OPTIONS | T542 T542 T542 T542 T542 T542 S041261 S041261 S041269 S041289 S041328 PRODUCT CODE |

Epson is the registered trademark of Seiko Epson Corporation. Epson STYLUS, PerfectPicture, MicroPiezo, AcuPhoto Halftoning, QuickDry are the trademarks of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are imulations. Specifications are subject to change without notice.

Copyright \circledast 2020 Epson Australia Pty Ltd. All rights reserved. ABN 91 002 625 783 EPN01