X300 Performance Hard Drive

Level up your drive performance



16 14 4 12 10 8



EMEA Region, Toshiba Storage Solutions - The X300 3.5" internal hard drive is designed for your professional or gaming PC - delivering reliable, large capacity, incredibly high-performance storage, made possible by a number of advanced features, including an ultra-high512 MB, 256 MB or 128 MB buffer. It even features improved positional $\,$ accuracy for stable recording. The X300 is available in capacities of up to16 TB - ideal for PC gamers, graphic designers, and other users with demanding storage requirements.

Use for:

- Powerful desktop workstations
- All-in-one PCs
- Gaming computers
- High performance PCs
- Home media computers



3.5" SATA Hard Drive

7200 rpm

128/256/512 MB buffer

Toshiba Dynamic Cache Technology

Toshiba Stable Platter Technology


Manual

Toshiba_Installation_and_Safety_20201013.pdf 🕹





Product Specifications



Basic Specifications			
Form factor	3.5-inch		
Interface	SATA 6.0 Gbit/s yes yes		
Advanced Format (AF)			
RoHS compatible			
Halogen Free	Yes		
Shock Sensor	yes		
Performance			
Rotational speed	7,200 rpm		
Buffer size	Bulk: 512 MB (16 TB) 256 MB (8 TB - 14 TB) 128 MB (4 TB - 6 TB) Retail: 512 MB (16 TB) 256 MB (6 TB - 14 TB) 128 MB (4 TB)		
Average latency	4.17 ms		
Native Command Queing (NCQ)	supported		
Reliability			
MTTF	600,000 hours		
Unrecoverable error rate	1 per 10 ¹⁴ bits read		
Power Management			
Supply voltage	Bulk: 5VDC (+10%/-7%) / 12VDC (±10%) (16 TB), 5VDC (±5%) / 12VDC (±10%) (12 TB, 14 TB), 5VDC (+10%/-5%) / 12VDC (±10%) (8 TB, 10 TB), 5VDC (±5%) / 12VDC (±5%) (4 TB, 6 TB) Retail: 5VDC (+10%/-7%) / 12VDC (±10%) (16 TB,) 5VDC (±5%) / 12VDC (±10%) (12 TB, 14 TB), 5VDC (+10%/-5%) / 12VDC (±10%) (6 TB, 8 TB, 10 TB), 5VDC (±5%) / 12VDC (±5%) (4 TB)		
Consumption (operating)	Bulk: 6.91 W typ. (16 TB), 6.77 W typ. (12 TB, 14 TB), 9.92 W typ. (8 TB, 10 TB), 11.3 W typ. (4 TB - 6 TB) Retail: 6.91 W typ. (16 TB), 6.77 W typ. (12 TB, 14 TB), 9.92 W typ. (6 TB, 10 TB), 11.3 W typ. (7 TB)		

11.3 W typ. (4 TB)

Box Content	3.5-inch internal HDD - X300 Performance Hard Drive
Physical	
Weight (approx.)	770 g max. (6 TB - 10 TB)
	720 g max. (4 TB, 12 TB, 14 TB, 16 TB)
Dimensions	147 (L) x 101.6 (W) x 26.1 (H) mm
Environmental	
Acoustics (idle mode)	20 dB typ. (12 TB - 16 TB),
	34 dB typ. (6 TB - 10 TB),
	31 dB typ. (4 TB)
Shock (non-operating)	Bulk:
	2450 m/s2 (250 G) / 2 ms duration (8 TB - 16 TE
	2940 m/s2 (300 G) / 2 ms duration (4 TB - 6 TB)
	Retail: 2450 m/s2 (250 G) / 2 ms duration (6 TB - 16 TE
	2940 m/s2 (300 G) / 2 ms duration (4 TB)
Shock (operating)	686 m/s² (70 G) / 2 ms duration
Vibration (non-operating)	Bulk
3,	29.4 m/s2 (3.0 G) (5 to 500 Hz) (8 TB - 16 TB),
	49.0 m/s2 (5.0 G) (5 to 500 Hz) or less (4 TB - 6
	TB)
	Retail
	29.4 m/s2 (3.0 G) (5 to 500Hz) (6 TB - 16 TB),
	49.0 m/s2 (5.0 G) (5 to 500Hz) or less (4 TB)
Vibration (operating)	7.35 m/s² (0.75 G) (5 to 300 Hz)
· -	2.45 m/s ² (0.25 G) (300 to 500 Hz)
Temperature (operating / non- operating)	5 to 60° C / -40 to 70°C

Product Range

Part number	Capacity	Color
HDWR31GUZSVA (Bulk)	16 TB	-
HDWR21EEZSTA (Retail)	14 TB	-
HDWR21EUZSVA (Bulk)	14 TB	-
HDWR21CEZSTA (Retail)	12 TB	-
HDWR21CUZSVA (Bulk)	12 TB	-
HDWR11AEZSTA (Retail)	10 TB	-
HDWR11AUZSVA (Bulk)	10 TB	-
HDWR180EZSTA (Retail)	8 TB	-
HDWR180UZSVA (Bulk)	8 TB	-
HDWR160EZSTA (Retail)	6 TB	-
HDWE160UZSVA (Bulk)	6 TB	-
HDWE140EZSTA (Retail)	4 TB	-
HDWE140UZSVA (Bulk)	4 TB	-

Logistical Information:

 $\begin{array}{ccc} & \text{Box dimensions} & 189.0 \text{ mm (H)} \times 136.0 \text{ mm (W)} \times 60.0 \text{ mm (D)} \\ & \text{Box weight (gross)} & 915 \text{ g max.} \\ & \text{Master carton dimensions} & 265 \times 150 \times 210 \text{mm} \\ & \text{Master carton weight (gross)} & 3914 \text{ g max.} \\ & \text{Boxes per master carton} & 4 \text{ pcs} \\ & \text{Pallet dimensions} & 1150 \times 1150 \times 130 \text{ mm} \\ & \text{Pallet weights (net)} & \text{n/A} \\ & \text{Units per pallet} & 480 \text{ pcs} \\ \end{array}$

Units per pallet 480 pcs
Units per carton 20 pcs.
Carton dimensions 410 x 308 x 228 mm

Carton dimensions 410 x 308 x 228 mm

Carton weight (gross) 17 kg (typ.), 16 kg (typ.) (4TB)

Units per pallet 600 pcs.

Contact

Toshiba Electronics Europe GmbH

Hansaallee 181 40549 Düsseldorf Germany